

Experimental Competition
27 April 2010

Question Number 2

Student Code

Page No. Total No.

ANSWER SHEET

[illegible]

(2) Plot the PC conductance values as a function of θ_p on a graph paper.



Student Code

Page No. Total No.

ANSWER SHEET

Exp. II-B : The fraction of the linearly polarized laser light

(1) Find the maximum and minimum values of PC resistance (R_{max} and R_{min}) by rotating P1 360°. Transform R_{max} and R_{min} into the minimum and maximum values of PC conductance C_{min} and C_{max} . Record the data in the data table.

R_{min}	R_{max}	C_{max}	C_{min}		

(2) Utilizing the conductance versus θ_p graph in Exp. II-A-(2) to determine the relative intensities J_{max} and J_{min} corresponding to C_{max} and C_{min} . Write down the result.

$J_{min} =$, $J_{max} =$



Student Code

Page No. Total No.

ANSWER SHEET

(3) Calculate β and write down the result on the answer sheet.

$\beta =$

ANSWER SHEET

Experimental Competition
27 April 2010



Question Number 2

Student Code

Page No. Total No.

ANSWER SHEET

[illegible]



Student Code

Page No. Total No.

ANSWER SHEET

(2) Based on the graph of step (1), choose a region ($\Delta I \sim 3 \text{ mA}$) centered around the maximum slope. By using the conductance versus θ_p graph in Part II-A-(2), transform and record the data of this region in the table of step (1) into the relative light intensity (J). Plot the relative light intensity (J) versus CLD current (I) in a graph paper.

(3) The maximum radiating power of the CLD is assumed to be exactly $P_{\max} = 3 \text{ mW}$.

Extract the maximum slope from the graph in step (3) and transfer it to the value of $G \equiv \left. \frac{\Delta P}{\Delta I} \right|_{\text{Max}}$, which is the maximum ratio of the increased amount of radiating power and the increase amount of input ampere. Write down your analysis and the calculated value G on the answer sheet. Estimate the error of G . Do not include the error of the P_{\max} . Write down your analysis and the calculated value ΔG on the answer sheet.

$$G = \left. \frac{\Delta P}{\Delta I} \right|_{\text{Max}} = \quad , \quad \Delta G =$$



Student Code

Page No. Total No.

ANSWER SHEET

(4) The **Quantum Efficiency** equals the probability of one photon being generated per electron injected. From a particular bias current of the laser, a small increment of electrons injected would cause a corresponding increment of photons. The **Differential Quantum Efficiency η** is defined as the ratio of the increased number of photons and the increased number of injected electrons. Determine η of your CLD by using the value of G obtained in step (3). Write down your analysis and the calculated value η on the answer sheet. Estimate the error of η . Write down your analysis and the calculated value $\Delta\eta$ on the answer sheet. (Laser wavelength = 650 nm. Planck's constant = $6.63 \times 10^{-34} J \cdot s$. Light speed = $3.0 \times 10^8 m/s$)

$\eta =$, $\Delta\eta =$